

Package ‘SBI’

September 11, 2024

Type Package

Title Simple Blinding Index for Randomized Controlled Trials

Version 0.1.1

Description Computes a simple blinding index for randomized controlled trials introduced in the paper “A simple blinding index for randomized controlled trials” by Petroff, Bacak, Dages, Dilk and Wachter, which has been submitted for publication.

License GPL-3

Encoding UTF-8

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

RoxygenNote 7.3.2

NeedsCompilation no

Author David Petroff [aut, cre, cph],
Miroslav Bacak [aut, cph]

Maintainer David Petroff <david.petroff@zks.uni-leipzig.de>

Repository CRAN

Date/Publication 2024-09-11 13:10:02 UTC

Contents

| | |
|-------------------------|----------|
| BlindingIndex | 2 |
| Index | 4 |

 BlindingIndex

Computes a simple index for blinding in randomized clinical trials.

Description

This routine takes the entries from a 2x2 table as the arguments and returns the estimate for the difference of the probabilities $p_A - p_B$ along with the Wilson-CI. It also finds a p-value dual to the Wilson method. For more details, see the paper "A simple blinding index for randomized controlled trials" by Petroff, Bacak, Dages, Dilk and Wachter, which has been submitted for publication.

Usage

```
BlindingIndex(
  n_AA,
  n_BA,
  n_AB,
  n_BB,
  tolerance = 1e-12,
  switch_point = 1e-12,
  conf.level = 0.95
)
```

Arguments

| | |
|--------------|--|
| n_AA | Number of patients in Group A guessing that they are in Group A. A non-negative number, usually an integer. |
| n_BA | Number of patients in Group A guessing that they are in Group B. A non-negative number, usually an integer. |
| n_AB | Number of patients in Group B guessing that they are in Group A. A non-negative number, usually an integer. |
| n_BB | Number of patients in Group B guessing that they are in Group B. A non-negative number, usually an integer. Alternatively, one can pass the first four arguments as a single 2x2 table, that is, <code>as.table(cbind(c(n_AA, n_BA), c(n_AB, n_BB)))</code> . |
| tolerance | Tolerance for the 'stats::uniroot' function. |
| switch_point | A technical detail. A (very small) positive number. |
| conf.level | confidence level. |

Value

| | |
|---------|--------------------------------------|
| est | Estimate |
| lwr.ci | Lower end of CI |
| upr.ci | Upper end of CI |
| p.value | p-value dual to the Wilson CI method |
| z | z-value corresponding to the p-value |

Examples

BlindingIndex(50, 50, 50, 50)

Index

BlindingIndex, [2](#)