

# Package ‘oglmx’

October 14, 2022

**Type** Package

**Title** Estimation of Ordered Generalized Linear Models

**Version** 3.0.0.0

**Date** 2018-05-05

**Author** Nathan Carroll

**Maintainer** Nathan Carroll <nathan.carroll@ur.de>

## Description

Ordered models such as ordered probit and ordered logit presume that the error variance is constant across observations. In the case that this assumption does not hold estimates of marginal effects are typically biased (Weiss (1997)). This package allows for generalization of ordered probit and ordered logit models by allowing the user to specify a model for the variance. Furthermore, the package includes functions to calculate the marginal effects. Wrapper functions to estimate the standard limited dependent variable models are also included.

**License** GPL-2

**Depends** maxLik

**Imports** stats

**Suggests** glmx, lmtest

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2018-05-05 11:24:43 UTC

## R topics documented:

oglmx-package . . . . .	2
AIC.oglmx . . . . .	3
continuous.margin.mean . . . . .	4
discrete.margin_meanonly . . . . .	5
D_continuous.margin.mean_mean . . . . .	6
D_discrete.margin_meanonly.mean . . . . .	7
formula.oglmx . . . . .	9
getEtas . . . . .	10



D_continuous.margin.mean_mean	Calculate derivatives of marginal effects for continuous variables.
D_discrete.margin_meanonly.mean	Calculate derivatives of marginal effects for binary variables.
McFaddensR2.oglmx	Calculate McFadden's R-Squared.
Probability	Various functions not intended for user.
continuous.margin.mean	Calculate marginal effects for continuous variables.
discrete.margin_meanonly	Calculate marginal effects for binary variables.
formula.oglmx	Obtain model formula for an 'oglmx' object.
getEtas	Construct ingredients for probability calculation.
logLik.oglmx	Extract log likelihood value
logit.reg	Fit Logit Model.
margins.oglmx	Calculate marginal effects for 'oglmx' objects.
oglmx	Fit Ordered Generalized Linear Model.
oglmx-package	Estimation of Ordered Generalized Linear Models Package for estimation of ordered generalized linear models.
ologit.reg	Fit an ordered Logit model.
oprobit.reg	Fit Ordered Probit Model.
probit.reg	Fit Probit Model.
scoreMean	Calculate derivatives of loglikelihood
summary.oglmx	Summarizing Ordered Discrete Outcome Model Fits
vcov.oglmx	Calculate Variance-Covariance Matrix for an oglmx Object

**Author(s)**

Nathan Carroll

Maintainer: Nathan Carroll &lt;nathan.carroll@ur.de&gt;

AIC.oglmx

*Calculate Akaike Information Criterion***Description**

Calculates the Akaike Information Criterion for objects of class oglmx. Calculate using the formula  $-2 * \loglikelihood + k * npar$  where  $npar$  represents the number of parameters in the model and  $k$  is the cost of additional parameters, equal to 2 for the AIC, it is  $k = \log(n)$  with  $n$  the number of observations for the BIC.

**Usage**

```
## S3 method for class 'oglmx'  
AIC(object, ..., k = 2)
```

**Arguments**

object	object of class oglmx
...	additional arguments. Currently ignored.
k	the penalty per parameter to be used.

**Details**

When comparing models by maximum likelihood estimation the smaller the value of the AIC the better.

**Value**

A numeric value with the AIC.

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**See Also**

[AIC](#).

---

continuous.margin.mean

*Calculate marginal effects for continuous variables.*

---

**Description**

Calculate marginal effects for continuous variables. Functions calculate for variables in the mean equation and in the variance equation, for a variable in both equations the effects should be summed.

**Usage**

```
continuous.margin.mean(paramvec, etas, link, std.dev)
```

```
continuous.margin.sd(paramvec, etas, link, std.dev, gstd.dev)
```

**Arguments**

paramvec	Coefficients related to variables for which marginal effects are desired.
etas	Inputs to link functions.
link	specifies the link function for the estimated model.
std.dev	The calculated standard deviation of the error terms.
gstd.dev	The calculated derivative of the standard deviation of the error terms.

**Value**

Numeric vector of marginal effects.

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**See Also**

[margins.oglmx](#)

---

discrete.margin\_meanonly

*Calculate marginal effects for binary variables.*

---

**Description**

Calculate marginal effects for binary variables. Functions calculate for variables that are only in the mean equation, only in the variance equation, and variables in both.

**Usage**

```
discrete.margin_meanonly(beta, X, whichVars, etas, link, std.dev)
```

```
discrete.margin_varonly(delta, Z, whichVars, sdmodel, etas, link, std.dev)
```

```
discrete.margin_both(beta, X, delta, Z, BothEqLocs, sdmodel, etas, link, std.dev)
```

**Arguments**

beta	Coefficients for the mean equation.
X	Variable values for the mean equation.
whichVars	Numeric vector stating indexes of variables that are binary and marginal effects are desired.
etas	Inputs to link functions.
link	specifies the link function for the estimated model.



**Arguments**

whichMargins	Numeric vector indicating indexes of parameters in the relevant matrix for which margins are desired.
whichXest	Logical vector indicating the variables in X for which the relevant parameters were estimated.
X	Data matrix containing variables in mean equation.
paramvec	Coefficients related to variables for which marginal effects are desired.
etas	Inputs to link functions.
link	specifies the link function for the estimated model.
std.dev	The calculated standard deviation of the error terms.
Z	Data matrix containing variables in variance equation.
whichZest	Logical vector indicating the variables in Z for which the relevant parameters were estimated.
gstd.dev	The calculated derivative of the standard deviation of the error terms.
hstd.dev	The calculated second derivative of the standard deviation of the error terms.
estThresh	Logical vector indicating which threshold parameters were estimated.
outcomematrix	A matrix that indicates the outcome variable.

**Value**

Numeric matrix of derivatives of marginal effects with respect to estimated parameters.

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**See Also**

[margins.oglmx](#)

---

D\_discrete.margin\_meanonly.mean

*Calculate derivatives of marginal effects for binary variables.*

---

**Description**

Calculates derivatives of marginal effects with respect to the estimated parameters for binary variables. Required to calculate standard errors of marginal effects.

**Usage**

```
D_discrete.margin_meanonly.mean(whichVars, whichXest, X, fouretas, link, std.dev)
```

```
D_discrete.margin_mean.var(whichZest, Z, fouretas, link, std.dev, gstd.dev)
```

```
D_discrete.margin_mean.alpha(estThresh, outcomematrix, fouretas, std.dev, link)
```

```
D_discrete.margin_var.mean(whichXest, X, fouretas, link, StdDevs)
```

```
D_discrete.margin_varonly.var(whichVars, whichZest, Z, fouretas, ZDinputs, link,
                               StdDevs, gsdmodel)
```

```
D_discrete.margin_var.alpha(estThresh, outcomematrix, fouretas, StdDevs, link)
```

```
D_discrete.margin_meanvar.mean(whichXest, X, BothEqLocs, fouretas, StdDevs, link)
```

```
D_discrete.margin_meanvar.var(whichZest, Z, BothEqLocs, fouretas, ZDinputs, link,
                               StdDevs, gsdmodel)
```

**Arguments**

<code>whichVars</code>	Numeric vector stating indexes of variables that are binary and marginal effects are desired.
<code>whichXest</code>	Logical vector indicating the variables in X for which the relevant parameters were estimated.
<code>X</code>	Data matrix containing variables in mean equation.
<code>fouretas</code>	Inputs to link functions.
<code>link</code>	specifies the link function for the estimated model.
<code>std.dev</code>	The calculated standard deviation of the error terms.
<code>Z</code>	Data matrix containing variables in variance equation.
<code>whichZest</code>	Logical vector indicating the variables in Z for which the relevant parameters were estimated.
<code>gstd.dev</code>	The calculated derivative of the standard deviation of the error terms.
<code>estThresh</code>	Logical vector indicating which threshold parameters were estimated.
<code>outcomematrix</code>	A matrix that indicates the outcome variable.
<code>ZDinputs</code>	Values of inputs to function that gives standard deviation when binary variable is equal to 0 and 1.
<code>StdDevs</code>	Values of standard deviation when binary variable is equal to 0 and 1.
<code>gsdmodel</code>	Expression used to calculate derivative of standard deviation.
<code>BothEqLocs</code>	Dataframe describing locations of binary variables that are in both the mean and variance equations.

**Value**

Numeric matrix of derivatives of marginal effects with respect to estimated parameters.



**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**See Also**

[margins.oglmx](#)

---

formula.oglmx      *Obtain model formula for an oglmx object.*

---

**Description**

Given an object of class oglmx the function describes the estimated model via an expression of class [formula](#). The function serves to provide a name of a model to the lrtest function in the lmtest package.

**Usage**

```
## S3 method for class 'oglmx'  
formula(x, ... )
```

**Arguments**

x                    object of class oglmx.  
...                  additional arguments, currently ignored.

**Value**

an object of class formula.

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**See Also**

[oglmx](#), [codeLrtest](#), [codeformula](#).

---

 getEtas

*Construct ingredients for probability calculation.*


---

### Description

The probability of a particular outcome  $j$  for observation  $i$  is given by:

$$F\left(\frac{\alpha_{j+1} - x_i\beta}{g(z_i\delta)}\right) - F\left(\frac{\alpha_j - x_i\beta}{g(z_i\delta)}\right)$$

where  $F$  is the link function, the  $\alpha$ s refer to threshold values and  $g$  is the function that describes the model for the variance. This function calculates the two inputs to the link function in the above expression given precalculated values of the mean of the latent variable given parameters and the standard deviation given parameters.

### Usage

```
getEtas(thresholds,xb,std.dev)
```

```
getEtas.Exp(thresholds,xb_matrix,sd_matrix)
```

### Arguments

`thresholds` Numeric matrix of dimension (number of observations \* 2). Columns refer to the right and left threshold corresponding to the desired outcome.

`xb, xb_matrix` Numeric vector/matrix of expected values of the latent variable.

`std.dev, sd_matrix` Numeric vector/matrix of standard deviations of the error term given variables.

### Value

`eta_1` Numeric vector/matrix corresponding to the right threshold.

`eta_0` Numeric vector/matrix corresponding to the left threshold.

### Author(s)

Nathan Carroll, <nathan.carroll@ur.de>

### See Also

[oglmx](#)

---

InternalFunctions      *Various functions not intended for user.*

---

### Description

Functions used in the process of estimating parameters and standard errors of ordered generalized linear models.

### Usage

```
updateComponents(Env,Parameters)
oglmx.maxlik(inputenv,start)
loglikelihood.oglmx(Env)
score_oglmx(Env)
hessian_oglmx(Env)
calcBHHHmatrix(Env)
mergeformulas(formula1,formula2)
calcstartvalues(whichparameter,gfunc,threshvec)
getThresholds(outcomematrix,thresholdvector)
Probability(eta_1,eta_0,link)
```

### Arguments

Env, inputenv	environment, typically constructed by the <code>oglmx.fit</code> function, that contains all relevant information for the optimisation process.
Parameters, start	numeric vector of length equal to the number of estimated parameters.
formula1, formula2	items of class <code>formula</code> .
whichparameter	logical
gfunc	expression, function used to model the variance
threshvec, thresholdvector	numeric vectors of threshold values
outcomematrix	numeric matrix with binary variables indicating the outcome for each observation
eta_1,eta_0	input values for the link function
link	string value indicating which link function is to be used

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**See Also**

[oglmx](#), [getEtas](#)

---

logit.reg

*Fit Logit Model.*

---

**Description**

Wrapper function for [oglmx](#) to estimate the binary response logit model.

**Usage**

```
logit.reg(formula, data, start = NULL, weights=NULL, beta = NULL,
          analhessian = TRUE, na.action, savemodelframe = FALSE, robust = FALSE)
```

**Arguments**

formula	an object of class <a href="#">formula</a> : a symbolic description of the model used to explain the mean of the latent variable. The response variable should be a numeric vector or factor variable with two values.
data	a data frame containing the variables in the model.
start	either NULL or a numeric vector specifying start values for each of the estimated parameters, passed to the maximisation routine.
weights	either NULL or a numeric vector of length equal to the number of rows in the data frame. Used to apply weighted maximum likelihood estimation.
beta	NULL or numeric vector. Used to prespecify elements of the parameter vector for the equation of the mean of the latent variable. Vector should be of length one or of length equal to the number of explanatory variables in the mean equation. If of length one the value is presumed to correspond to the constant. If of length greater than one then NA should be entered for elements of the vector to be estimated.
analhessian	logical. Indicates whether the analytic Hessian should be calculated and used, default is TRUE, if set to FALSE a finite-difference approximation of the Hessian is used.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the na.action setting of <a href="#">options</a> , and is <a href="#">na.fail</a> if that is unset. The factory-fresh default is <a href="#">na.omit</a> . Another possible value is NULL, no action. Value <a href="#">na.exclude</a> can be useful.
savemodelframe	logical. Indicates whether the model frame(s) should be saved for future use. Default is FALSE. Should be set to TRUE if intending to estimate Average Marginal Effects.

robust            logical. If set to TRUE the outer product or BHHH estimate of the meat in the sandwich of the variance-covariance matrix is calculated. If calculated standard errors will be calculated using the sandwich estimator by default when calling summary.

### Value

object of class "oglmx", see [oglmx](#).

### Author(s)

Nathan Carroll, <nathan.carroll@ur.de>

### See Also

[glm](#) for alternative method to estimate a logit model. [oglmx](#). To obtain marginal effects see [margins.oglmx](#).

---

logLik.oglmx	<i>Extract log likelihood value</i>
--------------	-------------------------------------

---

### Description

Return the log likelihood value for objects of class `oglmx` and `summary.oglmx`

### Usage

```
## S3 method for class 'oglmx'
logLik(object, ... )

## S3 method for class 'summary.oglmx'
logLik(object, ... )
```

### Arguments

object            object of class `oglmx` or `summary.oglmx`.  
 ...                additional arguments, currently ignored.

### Value

A single numeric value, the log likelihood for the estimated model.

### Author(s)

Carroll, Nathan <nathan.carroll@ur.de>

### See Also

[logLik](#), [oglmx](#)

---

margins.oglmx

---

*Calculate marginal effects for oglmx objects.*


---

### Description

This function constructs marginal effects and calculates standard errors for all models estimated by the oglmx function. Standard errors are obtained using the delta method.

### Usage

```
margins.oglmx(object, atmeans = TRUE, AME = FALSE, location = NULL, outcomes = "All",
              ascontinuous = FALSE, Vars = NULL)
```

```
## S3 method for class 'margins.oglmx'
print(x, ... )
```

### Arguments

object	object of class "oglmx".
Vars	vector specifying variables for which marginal effects are desired.
outcomes	either character string "All", the default option, or a numeric vector indicating the outcomes for which the marginal effect is desired.
atmeans	logical. If TRUE then the marginal effects are calculated at the means of the variables in the equations for the mean and variance of the latent variable.
AME	logical. If TRUE the marginal effects are averaged across observations.
ascontinuous	logical. If TRUE binary variables are treated as if continuous to calculate marginal effects.
location	NULL, a numeric vector, or a list containing two numeric vectors. Allows the user to specify the values of the explanatory variables at which the marginal effect is to be calculated. For a homoskedastic model the input should be a numeric vector of length equal to the number of variables in the model matrix. For a heteroskedastic model the input should be a list, the first element should be a vector of length equal to the number of variables in the mean equation and the second is a vector of length equal to the number of variables in the variance equation.
...	additional arguments to print method. Currently ignored.
x	object of class margins.oglmx.

### Value

an object of class margins.oglmx. The object consists of a list containing data matrices, each matrix corresponding to an outcome for which the marginal effect was desired. Columns of each matrix correspond to the estimated marginal effect, its standard error, t-statistics and two sided p-value.

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

---

McFaddensR2.oglmx      *Calculate McFadden's R-Squared.*

---

**Description**

Model evaluation methods based on the analogue of squared residuals do not work well when the outcome variable is discrete and ordered. A popular pseudo-R<sup>2</sup> measure due to McFadden (1973) is given by:

$$R^2 = 1 - \log L_{fit} / \log L_0$$

where  $\log L_{fit}$  is the log-likelihood for the fitted model and  $\log L_0$  is the log-likelihood from an intercept only model that estimates the probability of each alternative to be the sample average. This function calculates this term for objects of class oglmx.

**Usage**

McFaddensR2.oglmx(object)

**Arguments**

object                      object of type oglmx

**Value**

numeric value between 0 and a theoretical maximum of 1.

---

oglmx                              *Fit Ordered Generalized Linear Model.*

---

**Description**

oglmx is used to estimate models for which the outcome variable is discrete and the mean and/or variance of the underlying latent variable can be modelled as a linear combination of explanatory variables. Standard models such as probit, logit, ordered probit and ordered logit are included in the diverse set of models estimated by the function.

**Usage**

```
oglmx(formulaMEAN, formulaSD=NULL, data, start=NULL, weights=NULL,
      link="probit", constantMEAN=TRUE, constantSD=TRUE, beta=NULL,
      delta=NULL, threshparam=NULL, analhessian=TRUE,
      sdmodel=expression(exp(z)), SameModelMEANSD=FALSE, na.action,
      savemodelframe=TRUE, Force=FALSE, robust=FALSE)
```

```
oglmx.fit(outcomeMatrix, X, Z, w, beta, delta, threshparam, link, start,
          sdmodel, optmeth="maxLik", analhessian, robust)
```

**Arguments**

formulaMEAN	an object of class <code>formula</code> : a symbolic description of the model used to explain the mean of the latent variable. The response variable should be a numeric vector or factor variable such that the numerical assignments for the levels of the factor have ordinal meaning.
formulaSD	either NULL or an object of class <code>formula</code> : a symbolic description of the model used to explain the variance of the latent variable.
data	a data frame containing the variables in the model.
start	either NULL or a numeric vector specifying start values for each of the estimated parameters, passed to the maximisation routine.
weights	either NULL or a numeric vector of length equal to the number of rows in the data frame. Used to apply weighted maximum likelihood estimation.
link	specifies a link function for the model to be estimated, accepted values are "probit", "logit", "cauchit", "loglog" and "cloglog"
constantMEAN	logical. Should an intercept be included in the model of the mean of the latent variable? Can be overwritten and set to FALSE using the formulaMEAN argument by writing $\theta +$ as the first element of the equation.
constantSD	logical. Should an intercept be included in the model of the variance of the latent variable? Can be overwritten and set to FALSE using the formulaSD argument by writing $\theta +$ as the first element of the equation.
beta	NULL or numeric vector. Used to prespecify elements of the parameter vector for the equation of the mean of the latent variable. Vector should be of length one or of length equal to the number of explanatory variables in the mean equation. If of length one the value is presumed to correspond to the constant if a constant is included or the first element of the parameter vector. If of length greater than one then NA should be entered for elements of the vector to be estimated.
delta	NULL or numeric vector. Used to prespecify elements of the parameter vector for the equation of the variance of the latent variable. Vector should be of length one or of length equal to the number of explanatory variables in the variance equation. If of length one the value is presumed to correspond to the constant if a constant is included or the first element of the parameter vector. If of length greater than one then NA should be entered for elements of the vector to be estimated.
threshparam	NULL or numeric vector. Used to prespecify the threshold parameters of the model. Vector should be of length equal to the number of outcomes minus one. NA should be entered for threshold parameters to be estimated by the model.
analhessian	logical. Indicates whether the analytic Hessian should be calculated and used, default is TRUE, if set to FALSE a finite-difference approximation of the Hessian is used.
sdmodel	object of mode "expression". The expression defines function that transforms the linear model for the standard deviation into the standard deviation. The expression should be written as a function of variable z. The default value is <code>expression(exp(z))</code> .



SameModelMEANS	logical. Indicates whether the matrix used to model the mean of the latent variable is identical to that used to model the variance. If formulaSD=NULL and SameModelMEANS=TRUE a model with heteroskedasticity is estimated. If SameModelMEANS=FALSE and formulaSD==formulaMEAN value is overridden. Used to reduce memory requirements when models are identical.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the na.action setting of <code>options</code> , and is <code>na.fail</code> if that is unset. The factory-fresh default is <code>na.omit</code> . Another possible value is NULL, no action. Value <code>na.exclude</code> can be useful.
savemodelframe	logical. Indicates whether the model frame(s) should be saved for future use. Default is FALSE. Should be set to TRUE if intending to estimate Average Marginal Effects.
Force	logical. If set to FALSE (the default) the function stops if the response variable has more than twenty categories. Should be changed to TRUE if a model with more than twenty categories is desired.
robust	logical. If set to TRUE the outer product or BHHH estimate of the meat in the sandwich of the variance-covariance matrix is calculated. If calculated standard errors will be calculated using the sandwich estimator by default when calling <code>summary</code> .
outcomeMatrix, X, Z	X is a data matrix for the right hand side of the mean equation, outcomeMatrix is a matrix that indicates the outcome variable and Z is a data matrix for the variance equation.
w	w specifies a vector of weights for the <code>oglmx.fit</code> function.
optmeth	optmeth specifies a method for the maximisation of the likelihood, currently "maxLik" is the only available option.

## Value

An object of class "oglmx" with the following components:

link	link function used in the estimated model.
sdmodel	Expression for the model for the standard deviation, default is <code>exp(z)</code> .
call	the call used to generate the results.
factorvars	vector listing factor variables included in the model
Outcomes	numeric vector listing the values of the different outcomes.
NoVarModData	dataframe. Contains data required to estimate the no information model used in calculation of McFadden's R-squared measure.
NOutcomes	the number of distinct outcomes in the response variable.
Hetero	logical. If TRUE indicates that the estimated model includes a model for the variance of the error term, i.e. heteroskedasticity.
formula	two element list. Each element is an object of type <code>formula</code> related to the mean and standard deviation equation respectively.

modelframes	If savemodelframe set to FALSE then returns NULL, otherwise returns a list with two elements, the model frames for the mean and variance equations.
BothEq	Omitted in the case of a homoskedastic model. Dataframe listing variables that are contained in both the mean and variance equations.
varMeans	a list containing two numeric vectors. The vectors list the mean values of the variables in the mean and variance equation respectively. Stored for use in a call of <code>margins.oglmx</code> to obtain marginal effects at means.
varBinary	a list containing two numeric vectors. The vectors indicate whether the variables in the mean and variance equations are binary indicators. Stored for use in a call of <code>margins.oglmx</code> to obtain marginal effects at means.
loglikelihood	log-likelihood for the estimated model. Includes as attributes the log-likelihood for the constant only model and the number of observations.
coefficients	vector of estimated parameters.
gradient	numeric vector, the value of the gradient of the log-likelihood function at the obtained parameter vector. Should be approximately equal to zero.
no.iterations	number of iterations of maximisation algorithm.
returnCode	code returned by the <code>maxLik</code> optimisation routine. For details of meaning see <a href="#">maxNR</a> .
hessian	hessian matrix of the log-likelihood function evaluated at the obtained parameter vector.
allparams	a list containing three numeric vectors, the vectors contain the parameters from the mean equation, the variance equation and the threshold parameters respectively. Includes the prespecified and estimated parameters together.
Est.Parameters	list containing three logical vectors. Indicates which parameters in the parameter vectors were estimated.
BHHHhessian	Omitted if <code>robust = FALSE</code> and weights were not included. The BHHH variance-covariance estimate.

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**References**

- Cameron, A. C. & Trivedi, P. K. (2005) *Microeconometrics : methods and applications* Cambridge University Press
- Wooldridge, J. M. (2002) *Econometric analysis of cross section and panel data* The MIT Press

**See Also**

[maxLik](#), [margins.oglmx](#), [polr](#).

**Examples**

```

# create random sample, three variables, two binary.
set.seed(242)
n<-250
x1<-sample(c(0,1),n,replace=TRUE,prob=c(0.75,0.25))
x2<-vector("numeric",n)
x2[x1==0]<-sample(c(0,1),n-sum(x1==1),replace=TRUE,prob=c(2/3,1/3))
z<-rnorm(n,0.5)
# create latent outcome variable
latency<-0.5+1.5*x1-0.5*x2+0.5*z+rnorm(n,sd=exp(0.5*x1-0.5*x2))
# observed y has four possible values: -1,0,1,2
# threshold values are: -0.5, 0.5, 1.5.
y<-vector("numeric",n)
y[latency< -0.5]<--1
y[latency>= -0.5 & latency<0.5]<- 0
y[latency>= 0.5 & latency<1.5]<- 1
y[latency>= 1.5]<- 2
dataset<-data.frame(y,x1,x2)
# estimate standard ordered probit
results.oprob<-oglmx(y ~ x1 + x2 + z, data=dataset,link="probit",constantMEAN=FALSE,
                    constantSD=FALSE,delta=0,threshparam=NULL)
coef(results.oprob) # extract estimated coefficients
summary(results.oprob)
# calculate marginal effects at means
margins.oglmx(results.oprob)
# estimate ordered probit with heteroskedasticity
results.oprobhet<-oglmx(y ~ x1 + x2 + z, ~ x1 + x2, data=dataset, link="probit",
                      constantMEAN=FALSE, constantSD=FALSE,threshparam=NULL)
summary(results.oprobhet)
library("lmtest")
# likelihood ratio test to compare model with and without heteroskedasticity.
lrtest(results.oprob,results.oprobhet)
# calculate marginal effects at means.
margins.oglmx(results.oprobhet)
# scale of parameter values is meaningless. Suppose instead two of the
# three threshold values were known, then can include constants in the
# mean and standard deviation equation and the scale is meaningful.
results.oprobhet1<-oglmx(y ~ x1 + x2 + z, ~ x1 + x2, data=dataset, link="probit",
                       constantMEAN=TRUE, constantSD=TRUE,threshparam=c(-0.5,0.5,NA))
summary(results.oprobhet1)
margins.oglmx(results.oprobhet1)
# marginal effects are identical to results.oprobithet, but using the true thresholds
# means the estimated parameters are on the same scale as underlying data.
# can choose any two of the threshold values and get broadly the same result.
results.oprobhet2<-oglmx(y ~ x1 + x2 + z, ~ x1 + x2, data=dataset, link="probit",
                       constantMEAN=TRUE, constantSD=TRUE,threshparam=c(-0.5,NA,1.5))
summary(results.oprobhet2)
margins.oglmx(results.oprobhet2)
# marginal effects are again identical. Parameter estimates do change.

```

---

ologit.reg	<i>Fit an ordered Logit model.</i>
------------	------------------------------------

---

### Description

Wrapper function for `oglmx` to estimate an ordered Logit model.

### Usage

```
ologit.reg(formula, data, start = NULL, weights=NULL, beta = NULL, threshparam = NULL,
           analhessian = TRUE, na.action, savemodelframe = FALSE, robust = FALSE,
           Force = FALSE)
```

### Arguments

formula	an object of class <code>formula</code> : a symbolic description of the model used to explain the mean of the latent variable. The response variable should be a numeric vector or factor variable such that the numerical assignments for the levels of the factor have ordinal meaning.
data	a data frame containing the variables in the model.
start	either NULL or a numeric vector specifying start values for each of the estimated parameters, passed to the maximisation routine.
weights	either NULL or a numeric vector of length equal to the number of rows in the data frame. Used to apply weighted maximum likelihood estimation.
beta	NULL or numeric vector. Used to prespecify elements of the parameter vector for the equation of the mean of the latent variable. Vector should be of length one or of length equal to the number of explanatory variables in the mean equation. NA should be entered for elements of the vector to be estimated.
threshparam	numeric vector. Used to prespecify the threshold parameters of the model. Vector should be of length equal to the number of outcomes minus one. NA should be entered for threshold parameters to be estimated by the model.
analhessian	logical. Indicates whether the analytic Hessian should be calculated and used, default is TRUE, if set to FALSE a finite-difference approximation of the Hessian is used.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of <code>options</code> , and is <code>na.fail</code> if that is unset. The factory-fresh default is <code>na.omit</code> . Another possible value is NULL, no action. Value <code>na.exclude</code> can be useful.
savemodelframe	logical. Indicates whether the model frame(s) should be saved for future use. Default is FALSE. Should be switched to TRUE if intending to estimate Average Marginal Effects.
robust	logical. If set to TRUE the outer product or BHHH estimate of the meat in the sandwich of the variance-covariance matrix is calculated. If calculated standard errors will be calculated using the sandwich estimator by default when calling <code>summary</code> .

Force logical. If set to FALSE (the default) the function stops if the response variable has more than twenty categories. Should be changed to TRUE if a model with more than twenty categories is desired.

### Details

object of class "oglmx", see [oglmx](#).

### Value

object of class "oglmx", see [oglmx](#).

### Author(s)

Nathan Carroll, <nathan.carroll@ur.de>

### See Also

[polr](#) for alternative method to estimate an ordered logit model. [oglmx](#). To obtain marginal effects see [margins.oglmx](#).

---

oprobit.reg

*Fit Ordered Probit Model.*

---

### Description

Wrapper function for [oglmx](#) to estimate an ordered Probit model.

### Usage

```
oprobit.reg(formula, data, start = NULL, weights=NULL, beta = NULL, threshparam = NULL,
            analhessian = TRUE, na.action, savemodelframe = FALSE, robust = FALSE,
            Force = FALSE)
```

### Arguments

formula	an object of class <a href="#">formula</a> : a symbolic description of the model used to explain the mean of the latent variable. The response variable should be a numeric vector or factor variable such that the numerical assignments for the levels of the factor have ordinal meaning.
data	a data frame containing the variables in the model.
start	either NULL or a numeric vector specifying start values for each of the estimated parameters, passed to the maximisation routine.
weights	either NULL or a numeric vector of length equal to the number of rows in the data frame. Used to apply weighted maximum likelihood estimation.

beta	NULL or numeric vector. Used to prespecify elements of the parameter vector for the equation of the mean of the latent variable. Vector should be of length one or of length equal to the number of explanatory variables in the mean equation. If of length one the value is presumed to correspond to the first element of the parameter vector. If of length greater than one then NA should be entered for elements of the vector to be estimated.
threshparam	NULL or numeric vector. Used to prespecify the threshold parameters of the model. Vector should be of length equal to the number of outcomes minus one. NA should be entered for threshold parameters to be estimated by the model.
analhessian	logical. Indicates whether the analytic Hessian should be calculated and used, default is TRUE, if set to FALSE a finite-difference approximation of the Hessian is used.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the na.action setting of <code>options</code> , and is <code>na.fail</code> if that is unset. The factory-fresh default is <code>na.omit</code> . Another possible value is NULL, no action. Value <code>na.exclude</code> can be useful.
savemodelframe	logical. Indicates whether the model frame(s) should be saved for future use. Default is FALSE. Should be switched to TRUE if intending to estimate Average Marginal Effects.
robust	logical. If set to TRUE the outer product or BHHH estimate of the meat in the sandwich of the variance-covariance matrix is calculated. If calculated standard errors will be calculated using the sandwich estimator by default when calling <code>summary</code> .
Force	logical. If set to FALSE (the default) the function stops if the response variable has more than twenty categories. Should be changed to TRUE if a model with more than twenty categories is desired.

**Value**

object of class "oglmx", see [oglmx](#).

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**See Also**

[polr](#) for alternative method to estimate an ordered probit model. [oglmx](#). To obtain marginal effects see [margins.oglmx](#).

---

probit.reg	<i>Fit Probit Model.</i>
------------	--------------------------

---

### Description

Wrapper function for `oglmx` to estimate the binary response probit model.

### Usage

```
probit.reg(formula, data, start = NULL, weights=NULL, beta = NULL,
           analhessian = TRUE, na.action, savemodelframe = FALSE, robust = FALSE)
```

### Arguments

formula	an object of class <code>formula</code> : a symbolic description of the model used to explain the mean of the latent variable. The response variable should be a numeric vector or factor variable with two values.
data	a data frame containing the variables in the model.
start	either NULL or a numeric vector specifying start values for each of the estimated parameters, passed to the maximisation routine.
weights	either NULL or a numeric vector of length equal to the number of rows in the data frame. Used to apply weighted maximum likelihood estimation.
beta	NULL or numeric vector. Used to prespecify elements of the parameter vector for the equation of the mean of the latent variable. Vector should be of length one or of length equal to the number of explanatory variables in the mean equation. If of length one the value is presumed to correspond to the constant. If of length greater than one then NA should be entered for elements of the vector to be estimated.
analhessian	logical. Indicates whether the analytic Hessian should be calculated and used, default is TRUE, if set to FALSE a finite-difference approximation of the Hessian is used.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of <code>options</code> , and is <code>na.fail</code> if that is unset. The factory-fresh default is <code>na.omit</code> . Another possible value is NULL, no action. Value <code>na.exclude</code> can be useful.
savemodelframe	logical. Indicates whether the model frame(s) should be saved for future use. Default is FALSE. Should be switched to TRUE if intending to estimate Average Marginal Effects.
robust	logical. If set to TRUE the outer product or BHHH estimate of the meat in the sandwich of the variance-covariance matrix is calculated. If calculated standard errors will be calculated using the sandwich estimator by default when calling <code>summary</code> .

### Value

object of class "oglmx", see `oglmx`.

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**See Also**

[glm](#) for alternative method to estimate a probit model. [oglmx](#). To obtain marginal effects see [margins.oglmx](#).

---

scoreMean

*Calculate derivatives of loglikelihood*

---

**Description**

Functions used to calculate the first and second derivatives of the log-likelihood with respect to the estimated parameters.

**Usage**

```
scoreMean(eta_1,eta_0,std.dev,prob,link)
```

```
scoreVar(eta_1,eta_0,std.dev,gstd.dev,prob,link)
```

```
scoreThresh(estThresh,outcomematrix,eta_1,eta_0,std.dev,prob,link)
```

```
hessMean_Mean(eta_1,eta_0,std.dev,prob,link)
```

```
hessMean_Var(eta_1,eta_0,std.dev,gstd.dev,prob,link)
```

```
hessVar_Var(eta_1,eta_0,std.dev,gstd.dev,hstd.dev,prob,link)
```

```
hessMean_Thresh(estThresh,outcomematrix,eta_1,eta_0,std.dev,prob,link)
```

```
hessVar_Thresh(estThresh,outcomematrix,eta_1,eta_0,std.dev,gstd.dev,prob,link)
```

```
hessThresh_Thresh(estThresh,outcomematrix,eta_1,eta_0,std.dev,prob,link)
```

**Arguments**

eta_1	numeric vector or matrix. Refers to the input to the link function to calculate the probability at the right threshold of the outcome.
eta_0	numeric vector or matrix. Refers to the input to the link function to calculate the probability at the left threshold of the outcome.
std.dev	numeric vector or matrix. The standard deviation of the error term for the observations given the data and parameters.
prob	numeric vector or matrix. Probability of the outcome given the parameters and data.



link	character, indicates link function for the estimated model.
estThresh	numeric vector indicating which of the threshold values are estimated.
outcomematrix	numeric matrix indicating the outcome for each observation.
gstd.dev	numeric vector or matrix. The first derivative of standard deviation of the error term for the observations given the data and parameters.
hstd.dev	numeric vector or matrix. The second derivative of standard deviation of the error term for the observations given the data and parameters.

**Value**

numeric vector or matrix, depending on the structure of the inputs. Derivatives of the log-likelihood with respect to constants in the mean and variance equations and the threshold values.

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

**See Also**

[oglmx](#)

---

summary.oglmx

*Summarizing Ordered Discrete Outcome Model Fits*

---

**Description**

summary method for class "oglmx"

**Usage**

```
## S3 method for class 'oglmx'
summary(object, tol = 1e-20, ... )

## S3 method for class 'summary.oglmx'
print(x, ... )
```

**Arguments**

object	an object of class "oglmx"
tol	argument passed to qr.solve, defines the tolerance for detecting linear dependencies in the hessian matrix to be inverted.
...	additional arguments, currently ignored.
x	object of class summary.oglmx.

**Value**

regtype	character string describing the type of model estimated.
loglikelihood	log-likelihood for the estimated model.
estimate	matrix with four columns and number of rows equal to the number of estimated parameters. Columns of the matrix correspond to estimated coefficients, standard errors, t-statistics and (two-sided) p-values.
estimateDisplay	the same data as in <code>estimate</code> but separated into a list with elements for each type of parameter estimate. The first element is for parameters in the mean equation, second element for parameters in the variance equation and the final element is for threshold parameters.
no.iterations	number of iterations used in function that maximises the log-likelihood.
McFaddensR2	McFadden's $R^2$ aka Pseudo- $R^2$ . Calculated as: $R^2 = 1 - \log L_{fit} / \log L_0$ where $\log L_{fit}$ is the log-likelihood for the fitted model and $\log L_0$ is the log-likelihood from an intercept only model that estimates the probability of each alternative to be the sample average.
AIC	Akaike Information Criterion, calculated as: $AIC = 2k - 2 \log L_{fit}$ where $k$ is the number of estimated parameters.
coefficients	named vector of estimated parameters.

**Author(s)**

Carroll, Nathan <nathan.carroll@ur.de>

**References**

McFadden, D. (1973) *Conditional Logit Analysis of Qualitative Choice Behavior* in *Frontiers in Econometrics*. P.Zarembka (Ed.), New York, Academic Press.

---

 vcov.oglmx

---

*Calculate Variance-Covariance Matrix for an oglmx Object*


---

**Description**

Returns the variance-covariance matrix of the estimated parameters of an oglmx object.

**Usage**

```
## S3 method for class 'oglmx'
vcov(object, tol = 1e-20, ... )
```

**Arguments**

object	an object of class "oglmx"
tol	argument passed to qr.solve, defines the tolerance for detecting linear dependencies in the hessian matrix to be inverted.
...	further arguments, currently ignored.

**Value**

A matrix of the estimated covariances between the parameter estimates obtained from inverting the Hessian at the returned parameter values in an oglmx object.

**Author(s)**

Nathan Carroll, <nathan.carroll@ur.de>

# Index

AIC, [4](#)  
AIC.oglmx, [3](#)

calcBHHHmatrix (InternalFunctions), [11](#)  
calcMEstdErrors (InternalFunctions), [11](#)  
calcstartvalues (InternalFunctions), [11](#)  
coef.oglmx (oglmx), [15](#)  
coef.summary.oglmx (oglmx), [15](#)  
collectmaxLikOutput  
    (InternalFunctions), [11](#)  
continuous.margin.mean, [4](#)  
continuous.margin.sd  
    (continuous.margin.mean), [4](#)

D\_continuous.margin.mean.alpha  
    (D\_continuous.margin.mean\_mean),  
    [6](#)  
D\_continuous.margin.mean\_mean, [6](#)  
D\_continuous.margin.mean\_var  
    (D\_continuous.margin.mean\_mean),  
    [6](#)  
D\_continuous.margin.var.alpha  
    (D\_continuous.margin.mean\_mean),  
    [6](#)  
D\_continuous.margin.var\_mean  
    (D\_continuous.margin.mean\_mean),  
    [6](#)  
D\_continuous.margin.var\_var  
    (D\_continuous.margin.mean\_mean),  
    [6](#)  
D\_discrete.margin\_mean.alpha  
    (D\_discrete.margin\_meanonly.mean),  
    [7](#)  
D\_discrete.margin\_mean.var  
    (D\_discrete.margin\_meanonly.mean),  
    [7](#)  
D\_discrete.margin\_meanonly.mean, [7](#)  
D\_discrete.margin\_meanvar.mean  
    (D\_discrete.margin\_meanonly.mean),  
    [7](#)  
D\_discrete.margin\_meanvar.var  
    (D\_discrete.margin\_meanonly.mean),  
    [7](#)  
D\_discrete.margin\_var.alpha  
    (D\_discrete.margin\_meanonly.mean),  
    [7](#)  
D\_discrete.margin\_var.mean  
    (D\_discrete.margin\_meanonly.mean),  
    [7](#)  
D\_discrete.margin\_varonly.var  
    (D\_discrete.margin\_meanonly.mean),  
    [7](#)  
discrete.margin\_both  
    (discrete.margin\_meanonly), [5](#)  
discrete.margin\_meanonly, [5](#)  
discrete.margin\_varonly  
    (discrete.margin\_meanonly), [5](#)

formula, [9](#), [12](#), [16](#), [20](#), [21](#), [23](#)  
formula.oglmx, [9](#)

getEtas, [10](#), [12](#)  
getThresholds (InternalFunctions), [11](#)  
glm, [13](#), [24](#)

hessian.oglmx (InternalFunctions), [11](#)  
hessMean\_Mean (scoreMean), [24](#)  
hessMean\_Thresh (scoreMean), [24](#)  
hessMean\_Var (scoreMean), [24](#)  
hessThresh\_Thresh (scoreMean), [24](#)  
hessVar\_Thresh (scoreMean), [24](#)  
hessVar\_Var (scoreMean), [24](#)

InternalFunctions, [11](#)

logit.reg, [12](#)  
logLik, [13](#)  
logLik.oglmx, [13](#)  
logLik.summary.oglmx (logLik.oglmx), [13](#)  
loglikelihood.oglmx  
    (InternalFunctions), [11](#)

lrtest, 9

margins.oglmx, 5–7, 9, 13, 14, 18, 21, 22, 24  
maxLik, 18  
maxNR, 18  
McFaddensR2.oglmx, 15  
mergeformulas (InternalFunctions), 11  
mfx.oglmx (margins.oglmx), 14

na.exclude, 12, 17, 20, 22, 23  
na.fail, 12, 17, 20, 22, 23  
na.omit, 12, 17, 20, 22, 23  
nobs.oglmx (oglmx), 15

oglmx, 9, 10, 12, 13, 15, 20–25  
oglmx-package, 2  
oglmx.maxlik (InternalFunctions), 11  
ologit.reg, 20  
oprobit.reg, 21  
options, 12, 17, 20, 22, 23

polr, 18, 21, 22  
print.margins.oglmx (margins.oglmx), 14  
print.summary.oglmx (summary.oglmx), 25  
Probability (InternalFunctions), 11  
probit.reg, 23

score\_oglmx (InternalFunctions), 11  
scoreMean, 24  
scoreThresh (scoreMean), 24  
scoreVar (scoreMean), 24  
summary.oglmx, 25

updateComponents (InternalFunctions), 11

vcov.oglmx, 26